

Vault™ Under-Mount Apron-Front Kitchen Sink K-3945

#### Features

- 36-inch minimum base cabinet width.
- Large/medium bowls.
- 9-inch depth.
- Short apron allows sink to be used in most standard cabinetry or retrofitted to existing standard cabinetry.
- Self-Trimming apron overlaps the cabinet face for easy installation.
- No faucet holes.
- Smart Divide<sup>®</sup> features a lower bowl divider that increases workspace and versatility.
- Rear drain increases workspace in the sink and storage space underneath.
- Includes installation hardware and a bottom sink rack.
- SilentShield<sup>®</sup> sound-absorption technology offers quieter performance.

#### Material

Handcrafted from 18-gauge stainless steel.

#### Installation

• Under-mount apron-front.

#### **Recommended Products/Accessories**

K-6476 Sink Rack K-6477 Sink Rack K-6377 Sponge Caddy K-6378 Kitchen Brush Caddy K-6379 Kitchen Squeegee K-6382 Disinfecting Wipes Dispenser K-6383 Soap Dispenser K-8618 Paper Towel Holder K-8619 Flexible Kitchen Mat K-8801 Sink Strainer K-8799 Sink Strainer K-8624 Dish Scraper

### **Optional Products/Accessories**

K-6434 Saddle Utility Rack

#### Included Components

Product consists of: 91915 Hardware Kit K-6476 Sink Rack



# Codes/Standards

ASME A112.19.3/CSA B45.4


Lifetime Limited Warranty for KOHLER<sup>®</sup> Stainless Steel Sinks See website for detailed warranty information.







# Under-Mount Apron-Front Kitchen Sink K-3945



## **Technical Information**

All product dimensions are nominal.	
Bowl configuration:	Off-set Large/small
Installation:	Under-mount
Min. base cabinet width:	36" (914 mm)
Bowl area (Left):	Length: 19-11/16" (500 mm) Width: 17-3/16" (437 mm) Bowl depth: 9" (229 mm)
Bowl area (Right):	Length: 11-11/16" (297 mm) Width: 17-3/16" (437 mm) Bowl depth: 9" (229 mm)
Drain hole:	3-11/16" (94 mm)
Template:	1166719-7, required, included

#### Notes

Install this product according to the installation instructions.

The 3/4" (19 mm) side rim flanges are supported without using the clip attachment. See the installation guide for further instructions.